

Package: diffviewer (via r-universe)

September 10, 2024

Title HTML Widget to Show File Differences

Version 0.1.2.9000

Description A HTML widget that shows differences between files (text, images, and data frames).

License MIT + file LICENSE

URL <https://diffviewer.r-lib.org>, <https://github.com/r-lib/diffviewer>

BugReports <https://github.com/r-lib/diffviewer/issues>

Depends R (>= 3.6.0)

Imports htmlwidgets, jsonlite

Suggests covr, shiny

Config/Needs/website tidyverse/tidytemplate

Encoding UTF-8

Roxygen list(markdown = TRUE)

RoxygenNote 7.3.1

Repository <https://r-lib.r-universe.dev>

RemoteUrl <https://github.com/r-lib/diffviewer>

RemoteRef HEAD

RemoteSha 3c69fb9d7891a25a4d0b792844f863743d1cd36e

Contents

visual_diff	2
visual_diff_output	3
Index	4

`visual_diff`*HTML widget to visually compare two files*

Description

Currently supports:

- image diffs for .svg and .png
- tabular diffs for .csv
- text diffs for everything else

Usage

```
visual_diff(file_old, file_new, width = NULL, height = NULL)
```

Arguments

<code>file_old, file_new</code>	Paths to files to compare
<code>width, height</code>	Output size

Value

A HTML widget

See Also

[visual_diff_output\(\)](#) for use within Shiny apps

Examples

```
path1 <- tempfile()
path2 <- tempfile()
writeLines(letters, path1)
writeLines(letters[-13], path2)

if (interactive()) {
  visual_diff(path1, path2)
}
```

visual_diff_output	<i>Shiny bindings for visual_diff()</i>
--------------------	---

Description

Use `visual_diff_output()` in ui and `render_visual_diff(visual_diff(...))` in the server function.

Usage

```
visual_diff_output(outputId, width = "100%", height = "400px")
```

```
visual_diff_render(expr, env = parent.frame(), quoted = FALSE)
```

Arguments

<code>outputId</code>	output variable to read from
<code>width, height</code>	Must be a valid CSS unit (like '100%', '400px', 'auto') or a number, which will be coerced to a string and have 'px' appended.
<code>expr</code>	An expression that generates a <code>visual_diff</code>
<code>env</code>	The environment in which to evaluate <code>expr</code> .
<code>quoted</code>	Is <code>expr</code> a quoted expression (with <code>quote()</code>)? This is useful if you want to save an expression in a variable.

Value

Components for use inside a Shiny app.

Examples

```
if (require("shiny") && interactive()) {
  ui <- fluidPage(
    visual_diff_output("diff")
  )

  server <- function(input, output, session) {
    path1 <- tempfile()
    path2 <- tempfile()
    writeLines(letters, path1)
    writeLines(letters[-13], path2)

    output$diff <- visual_diff_render(visual_diff(path1, path2))
  }

  shinyApp(ui, server)
}
```

Index

`visual_diff`, [2](#)
`visual_diff_output`, [3](#)
`visual_diff_output()`, [2](#)
`visual_diff_render`
 (`visual_diff_output`), [3](#)